

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
William A. Hinton State Laboratory Institute
305 South Street, Jamaica Plain, MA 02130

DEVAL L. PATRICK
GOVERNOR

TIMOTHY P. MURRAY
LIEUTENANT GOVERNOR

JUDYANN BIGBY, MD
SECRETARY

JOHN AUERBACH
COMMISSIONER

08/19/2011

Jaclyn Sexton
Assistant District Attorney, Norfolk County

Dear ADA Sexton,

Enclosed is the information you requested in regards to Commonwealth vs. [REDACTED]
Included are copies of the following:

1. Curriculum Vitae for Annie Dookhan and Peter Piro.
2. Drug Analysis Laboratory Receipt.
3. Control Cards with analytical results for samples # [REDACTED]
4. Analysis sheets with custodial chemist's hand notations and test results.
5. GC/Mass Spectral analytical data for samples # [REDACTED]

Annie Dookhan was the custodial chemist and performed the preliminary testing and net weight for this sample. Peter Piro was the confirmatory chemist and analyzed the GC/MS data for this sample.

If you have any questions about these materials, please call me at the number below.

Sincerely,

A handwritten signature in black ink, appearing to read "Annie Dookhan".

Annie Dookhan
Chemist II
Drug Analysis Lab
Jamaica Plain, MA. 02130
(617) 983-6631

Curriculum Vitae

Annie Khan (Dookhan)

Education:

University of Massachusetts, Boston, Ma, Master of Science in Chemistry.

University of Massachusetts, Boston, Ma, Bachelor of Science in Biochemistry.

Experience:

2003 – present

Chemist I, II, Massachusetts Department of Public Health, Drug Analysis Laboratory

*Completed six-week training course conducted by senior staff within the Department of Public Health, Drug Analysis Laboratory.

*Appointed Assistant Analyst by Assistant Commissioner of Public Health, 2004.

*Responsible for the identification of illicit drugs to determine violations of harmful and narcotic drug laws.

*Trained in the use of complex analytical instrumentation, microscopes and balances for the purpose of drug analysis.

*Maintenance and repairs of all analytical instruments.

*Responsible for the Quality Control of all analytical instruments, reagents and controls/standards.

*Oversee the Quality Control/Quality Assurance program for the Drug Lab.

*Writing, revising and reviewing Standard Operating Procedures (SOPs) and Protocols.

*Notary Public.

*Qualified as an expert witness in Massachusetts Courts and U.S. District Court

2001 – 2003

QC Analyst I, II, UMMS-Massachusetts Biologic Laboratory, QC Material Control

*Completed proficiency training conducted by a member of the staff within the MLB Quality Control and Quality Assurance Department.

*Method Development for creating new techniques and enhancing vaccines for the QC Dept. and FDA.

*Writing, revising and reviewing Standard Operating Procedures (SOPs).

*Trained and supervised new chemists and interns for the department.

*Routine QC testing of products for the FDA.

*Trained in the use of complex analytical instrumentation, and balances for the purpose of QC analysis for product and validation projects.

*Calibration, preventive maintenance, QC and QA of analytical instrumentation.

*Complete testing of chemicals for Vendor Validation Project for the FDA.

*Compendial testing and interpretation of the USP, ACS, FCC, AOAC, Merck Index, PDR, etc.

Additional Training:

Dept. of Justice – Forensics Professionals. (numerous trainings)

GLP/GMP training with Massachusetts Biologic Laboratory.

QC/QA training according to FDA Codes and Regulations.

GC and GC/MS trainings with Agilent Technologies and Restek.

HPLC and LC/MS/MS trainings with Waters Cooperation.

FTIR training with Spectros.

TOC training with MBL and Sievers.

Association:

American Chemical Society (ACS)

Northeastern Association of Forensics Science (NEAFS)

Curriculum Vitae

Peter Piro

EDUCATION

Boston University

B.A. in Chemistry and Minor in Biology, 1989

HONORS

Magna Cum Laude, 3.6 GPA

Graduated with Distinction in Chemistry

Valedictorian of the Chemistry Department

EXPERIENCE

Department of Public Health/State Laboratory Institute

Chemist III, II, I/ Assistant Analyst

December 1991-Present

Supervise the operation and maintenance of the Gas Chromatography/Mass Spectrometry Laboratory. Analyze controlled substances for State and Federal law enforcement agencies. Qualified as an expert witness in Massachusetts courts and U.S. District Court.

Massachusetts Health Research Institute

Laboratory Technician

September 1990-December 1991

Researched the seasonal and special occurrences of DSP and PSP in shellfish samples harvested from coastal waters and Georges Bank.

TRAINING AND ORGANIZATIONS

- * Completed a six-week training course by senior staff within the Department of Public Health Drug Analysis laboratory.
- * Appointed Assistant Analyst by the Assistant Commissioner of Public Health in February 1991.
- * Elected as a Regular Member to the Northeastern Association of Forensic Chemists on October 27th 1995.
- * Completed training in Mass Spectrometry given by the Food and Drug Administration/Forensic Chemistry Center on November 2002.
- * Completed training in Mass Spectrometry Troubleshooting and Maintenance, October 25th 2002, at Agilent Technologies.
- * Notary Public since 1993.

PLEASE PRINT CLEARLY OR TYPE ALL INFORMATION

The Commonwealth of Massachusetts

Executive Office of Health and Human Services

Department of Public Health

State Laboratory Institute

Boston Drug Laboratory

Tel (617) 983-6622

Fax (617) 983-6625

Amherst Drug Laboratory

Tel (413) 545-2601

Fax (413) 545-2608

Boston Hours

8:00 – 11:00

2:00 – 4:00

Amherst Hours

9:00 – 12:00

1:00 – 3:00

DRUG RECEIPT

City or Department:

Quincy


Police Reference No.



Name and Rank of Submitting Officer:

Det. W. Ward

Defendant(s) Name (last, first, initial):



To be completed by Submitter

Description of Items Submitted

To be completed by Lab Personnel

Gross Weight

Lab Number

(3) Oxycontin (60mg) tablets


2.14g

Approx. (2) Oxycodone (15mg) tablets

1.64g

(1) Oxycodone (15mg) tablet and (1) Oxycodone (30mg) tablet

1.64g



Received by:

EW

Date:

4-13-11

NO. [REDACTED] DATE ANALYZED:
CITY: QUINCY POLICE DEPT.
OFFICER: DETECTIVE WILLIAM WARD

6-22-11

DEF: [REDACTED]
AMOUNT: 3 SUBST: TAB
NO. CONT: 1 CONT: PB

DATE REC'D: 04/13/2011 NO. ANALYZED:

GROSS WT: 2.140 NET WT: 0.70

#TESTS: 1 ASD
• 2 P.Pir

PRELIM: Oxycodone_B FINDINGS: Oxycodone

NO. [REDACTED] DATE ANALYZED:
CITY: QUINCY POLICE DEPT.
OFFICER: DETECTIVE WILLIAM WARD

6-22-11

DEF: [REDACTED]
AMOUNT: 2 SUBST: TAB
NO. CONT: 1 CONT: PB

DATE REC'D: 04/13/2011 NO. ANALYZED:

GROSS WT: 1.640 NET WT: 0.16

#TESTS: 1 ASD
• 2 P.Pir

PRELIM: Oxycodone_B FINDINGS: Oxycodone

NO. [REDACTED] DATE ANALYZED:
CITY: QUINCY POLICE DEPT.
OFFICER: DETECTIVE WILLIAM WARD

6-22-11

DEF: [REDACTED]
AMOUNT: 2 SUBST: TAB
NO. CONT: 1 CONT: PB

DATE REC'D: 04/13/2011 NO. ANALYZED:

GROSS WT: 1.660 NET WT: 0.20

#TESTS: 2 ASD
• 4 P.Pir

PRELIM: Oxycodone_B FINDINGS: Oxycodone

DRUG POWDER ANALYSIS FORM

SAMPLE # [REDACTED] AGENCY Quincy ANALYST ASJ

No. of samples tested: Evidence Wt.

PHYSICAL DESCRIPTION:

3 brown round tablet
17 ps

Gross Wt ():

Gross Wt ():

Pkg. Wt:

Net Wt: 0.7009

OP

60

PRELIMINARY TESTS

Spot Tests

Cobalt
Thiocyanate ()

Marquis

Froehde's

Mecke's

Microcrystalline Tests

Gold
Chloride

TLTA ()

OTHER TESTS

Monomer A (P)

PRELIMINARY TEST RESULTS

RESULTS Oxycodone

DATE 6-16-11

GC/MS CONFIRMATORY TEST

RESULTS Oxycodone

MS
OPERATOR RJP

DATE 6-22-11

Drug Information

DRUG NAME: OXYCONTIN

INGREDIENTS: OXYCODONE HYDROCHLORIDE -- 60 MG

Color: Red

Shape: Circle

Imprint: OP The tablet is debossed with OP on one side and 60 on the other. , 60

Form: Oral Tablet, Extended Release

Available-Container-Size: Strip of 20 , Bottle of 100

AAPCC Code: 037705 - Oxycodone Alone or in Combination (Excluding Combination Products with Acetaminophen or Acetylsalicylic Acid)

NDC: 59011-0460-20
59011-0460-10

Excipients: Butylated Hydroxytoluene ; Hypromellose ; PEG-400 ; Polyethylene Oxide ; Magnesium Stearate ; Titanium Dioxide ; Polysorbate 80 ; Ferric Oxide, Red ; Ferric Oxide, Black

Regulatory Status: Schedule II

Availability: United States

Product ID 7090270

Contact: Purdue Pharma

Copyright © 1974-2011 Thomson Reuters. All rights reserved.

DRUG POWDER ANALYSIS FORM

SAMPLE # AGENCY Quincy ANALYST ADJ

No. of samples tested: Evidence Wt.

PHYSICAL DESCRIPTION:

2 green round tablet
in pps

(V)

(48/11)

Gross Wt ():

Gross Wt ():

Pkg. Wt:

Net Wt: 0.1661

PRELIMINARY TESTS

Spot Tests

Cobalt
Thiocyanate ()

Marquis

Froehde's

Mecke's

Microcrystalline Tests

Gold
Chloride

TLTA ()

OTHER TESTS

Monomer A (P)

PRELIMINARY TEST RESULTS

RESULTS Oxycodone

DATE 6-16-11

GC/MS CONFIRMATORY TEST

RESULTS Oxycodone

MS
OPERATOR RJP

DATE 6-22-11

Drug Information

DRUG NAME: OXYCODONE HYDROCHLORIDE

INGREDIENTS: OXYCODONE HYDROCHLORIDE -- 15 MG

Color: Light Green

Shape: Circle

Imprint: 4811 The tablet is debossed with 4811 on one side and V on the reverse side. , V

Form: Oral Tablet

Available-Container-Size: Bottle of 10 , Bottle of 100 , Bottle of 500 , Bottle of 1000

AAPCC Code: 037705 - Oxycodone Alone or in Combination (Excluding Combination Products with Acetaminophen or Acetylsalicylic Acid)

NDC: 00603-4991-21
00603-4991-28

UPC: 06034-99128

Excipients: Stearic Acid ; FD&C Blue No. 1 Aluminum Lake ; D&C Yellow No. 10 Aluminum Lake ; Lactose (Monohydrate) ; Magnesium Stearate ; Cellulose, Microcrystalline ; Povidone ; Sodium Starch Glycolate

Regulatory Status: Schedule II

Availability: United States

Product ID 7093704

Contact: Qualitest Pharmaceuticals

Copyright © 1974-2011 Thomson Reuters. All rights reserved.

DRUG POWDER ANALYSIS FORM

SAMPLE # [REDACTED] AGENCY Quincy ANALYST ADJ

No. of samples tested: _____ Evidence Wt. _____

PHYSICAL DESCRIPTION:

2 green round tablet in
1 pb



1 blue round tablet in
1 pb



Gross Wt (): _____

Gross Wt (): _____

Pkg. Wt: _____

Net Wt: 0.2006

PRELIMINARY TESTS

Spot Tests

Cobalt
Thiocyanate () _____

Marquis _____

Froehde's _____

Mecke's _____

Microcrystalline Tests

Gold
Chloride _____

TLTA () _____

OTHER TESTS

Monomer A (P)

PRELIMINARY TEST RESULTS

RESULTS Oxycodone

DATE 6-16-11

GC/MS CONFIRMATORY TEST

RESULTS Oxycodone

MS
OPERATOR PJP

DATE 6-22-11

Drug Information

DRUG NAME: OXYCODONE HYDROCHLORIDE

INGREDIENTS: OXYCODONE HYDROCHLORIDE -- 15 MG

Color: Light Green

Shape: Circle

Imprint: 4811 The tablet is debossed with 4811 on one side and V on the reverse side. , V

Form: Oral Tablet

Available-Container-Size: Bottle of 10 , Bottle of 100 , Bottle of 500 , Bottle of 1000

AAPCC Code: 037705 - Oxycodone Alone or in Combination (Excluding Combination Products with Acetaminophen or Acetylsalicylic Acid)

NDC: 00603-4991-21
00603-4991-28

UPC: 06034-99128

Excipients: Stearic Acid ; FD&C Blue No. 1 Aluminum Lake ; D&C Yellow No. 10 Aluminum Lake ; Lactose (Monohydrate) ; Magnesium Stearate ; Cellulose, Microcrystalline ; Povidone ; Sodium Starch Glycolate

Regulatory Status: Schedule II

Availability: United States

Product ID 7093704

Contact: Qualitest Pharmaceuticals

Copyright © 1974-2011 Thomson Reuters. All rights reserved.

Drug Information

DRUG NAME: OXYCODONE HYDROCHLORIDE

INGREDIENTS: OXYCODONE HYDROCHLORIDE -- 30 MG

Color: Blue

Shape: Circle

Imprint: A; 215

Form: Oral Tablet

Available-Container-Size: Bottle of 100, 10X10

AAPCC Code: 037705 - Oxycodone Alone or in Combination (Excluding Combination Products with Acetaminophen or Acetylsalicylic Acid)

NDC: 52152-0215-02
52152-0215-11

Excipients: Starch, Corn ; FD&C Blue No. 2 Aluminum Lake ; Lactose (Monohydrate) ; Cellulose, Microcrystalline ; Silicon Dioxide ; Sodium Starch Glycolate ; Stearic Acid

Regulatory Status: Schedule II

Availability: United States

Product ID 6527175

Contact: Actavis Totowa


Copyright © 1974-2011 Thomson Reuters. All rights reserved.

Area Percent / Library Search Report

✓ P.D. 8-12-11

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792614.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 13:57
 Sample Name : BLANK
 Submitted by :
 Vial Number : 1
 AcquisitionMeth: DRUGS.M
 Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792615.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 14:10
 Sample Name : OXYCODONE STD
 Submitted by :
 Vial Number : 15
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
6.450	211763	100.00	100.00



Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792615.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 14:10
 Sample Name : OXYCODONE STD
 Submitted by :
 Vial Number : 15
 AcquisitionMeth: DRUGS.M
 Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
 C:\Database\NIST08.L Minimum Quality: 80
 C:\Database\PMW_TOX2.L


PK#	RT	Library/ID	CAS#	Qual
1	6.45	C:\Database\NIST08.L		
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99



Area Percent / Library Search Report

Information from Data File:


File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792617.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 14:36
 Sample Name : BLANK
 Submitted by : ASD
 Vial Number : 1
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:
 File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792618.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 14:49
 Sample Name : XXXXXXXXXX
 Submitted by : ASD
 Vial Number : 18
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
6.456	322444	100.00	100.00



Area Percent / Library Search Report

Information from Data File:


File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792618.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 14:49
 Sample Name : XXXXXXXXXX
 Submitted by : ASD
 Vial Number : 18
 AcquisitionMeth: DRUGS.M
 Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
 C:\Database\NIST08.L Minimum Quality: 80
 C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	6.46	C:\Database\NIST08.L		
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99



Information from Data File:
 File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792620.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 15:15
 Sample Name : BLANK
 Submitted by : ASD
 Vial Number : 1
 AcquisitionMeth: DRUGS.M
 Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792621.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 15:28
 Sample Name : XXXXXXXXXX
 Submitted by : ASD
 Vial Number : 21
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
6.450	337004	100.00	100.00



Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792621.D
Operator : NEM/P. PIRO
Date Acquired : 21 Jun 2011 15:28
Sample Name : XXXXXXXXXX
Submitted by : ASD
Vial Number : 21
AcquisitionMeth: DRUGS.M
Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST08.L Minimum Quality: 80
C:\Database\PMW_TOX2.L


PK#	RT	Library/ID	CAS#	Qual
1	6.45	C:\Database\NIST08.L		
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99



Area Percent / Library Search Report

Information from Data File:


File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792623.D
Operator : NEM/P. PIRO
Date Acquired : 21 Jun 2011 15:53
Sample Name : BLANK
Submitted by : ASD
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:
 File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792624.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 16:06
 Sample Name : XXXXXXXXXX
 Submitted by : ASD
 Vial Number : 24
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
6.456	551380	100.00	100.00



Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792624.D
Operator : NEM/P. PIRO
Date Acquired : 21 Jun 2011 16:06
Sample Name : XXXXXXXXXX
Submitted by : ASD
Vial Number : 24
AcquisitionMeth: DRUGS.M
Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST08.L Minimum Quality: 80
C:\Database\PMW_TOX2.L


PK#	RT	Library/ID	CAS#	Qual
1	6.46	C:\Database\NIST08.L		
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99



Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792626.D
Operator : NEM/P. PIRO
Date Acquired : 21 Jun 2011 16:32
Sample Name : BLANK
Submitted by : ASD
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792627.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 16:45
 Sample Name : XXXXXXXXXX
 Submitted by : ASD
 Vial Number : 27
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
6.468	1761771	100.00	100.00



Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792627.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 16:45
 Sample Name : XXXXXXXXXX
 Submitted by : ASD
 Vial Number : 27
 AcquisitionMeth: DRUGS.M
 Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
 C:\Database\NIST08.L Minimum Quality: 80
 C:\Database\PMW_TOX2.L


PK#	RT	Library/ID	CAS#	Qual
1	6.47	C:\Database\NIST08.L		
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99



Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792644.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 20:24
 Sample Name : BLANK
 Submitted by :
 Vial Number : 2
 AcquisitionMeth: DRUGS.M
 Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792645.D
Operator : NEM/P. PIRO
Date Acquired : 21 Jun 2011 20:36
Sample Name : OXYCODONE STD
Submitted by :
Vial Number : 15
AcquisitionMeth: DRUGS.M
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
6.450	327103	100.00	100.00

Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_21_11\792645.D
 Operator : NEM/P. PIRO
 Date Acquired : 21 Jun 2011 20:36
 Sample Name : OXYCODONE STD
 Submitted by :
 Vial Number : 15
 AcquisitionMeth: DRUGS.M
 Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
 C:\Database\NIST08.L Minimum Quality: 80
 C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	6.45	C:\Database\NIST08.L		
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99

